Raporty w Siebel

Raporty w Siebel robi się

- w BI Publisher
- lub korzysta się z polecenia menu file-export.

Budowanie raportu BIP



more:

http://download.oracle.com/docs/cd/E14004_01/books/Reports/ReportsTOC.html	Standard
	documentation
http://siebel-essentials.blogspot.com/search/label/BI%20Publisher	Superb hints
http://bipconsulting.blogspot.com/2009/08/siebel-reporting-architecture-with-	
<u>bi.html</u>	
http://bipconsulting.blogspot.com/2009/09/install-and-setup-bi-publisher-for.html	Server
	installation

Functionality described here is available both on connected client and disconnected client (developer workstation).

In disconnected mode you do not need any special installations, just install Siebel Tools. In connected mode one have to install BI Publisher and configure Siebel according to clear description in documentation.

- 1. Zbuduj "Integration Object".
- 2. Zbuduj szablon XML Publisher i zarejestruj go w Aplikacji
- 3. Podłącz raport pod widok
- 4. Uruchom raport
- 5. Przeglądanie zapisanych raportów

Ad. 1. Zbuduj "Integration Object"

Włączamy wyświetlanie IO w drzewku:



Budujemy IO.

Integration Object składa się z business components (choć może składać się też z innych obiektów- zob. dalej). We właściwości "XML Tag" jest identyfikator, do którego będziesz odwoływał się w szablonie.

Object Explorer	4 ×	Properties	4 ×	Integ	ration Component Field List			
Project: All Projects ** Types Detail Flat	2	Integration Component Alphabetic Cotegori	Field [Street Address] zed	Integ	ration Component Fields			
E Z Siebel Objects	[Adapter Info						Inte
🛞 🛅 Applet		Business Component I	10 Street Address	W	External Name Context	Name		Changed
😟 🧱 Application		Column		>	Accoupts - Current Queror	Account	ts - Current Queru	
🗄 🔛 Bitmap Category		Lomments						
🗄 📸 Business Component		External Data Type	DITPE_IEXT					
🛞 🎯 Business Object		External Longin	200 Church Addense					
Business Service		External Provision	Street Modress					
Command Command ElM Interface Table ElM Entity Relationship Diagram Difference Parameters		External Received	TRUE	120.001				
		External Scale	TROP .	1000 0001				
		External Sequence	14					2007
HIML Hierarchy Bitmap		Field Type	Data					Integra
Contraction Object		Group	1	(T T T T T T T T T T T T T T T T T T T	Income.		Province and the second second	103278
Company Company		Inactive	FALSE	w	Name	Changed	Data Type	Lenç
- Sh Integration Component	et Field	Length	200		Account Status		DTYPE_TEXT	24
R Integration Com	opent Field User Pro	Module			City		DTYPE_TEXT	50
The state integration Component	nt Keu	Name	Street Address		Competitor		DTYPE_BOOL	
- 4'A Integration Compone	nt Liser Pron	Parent Name	Accounts - Current Query		Country		DTYPE_TEXT	30
- K Integration Object User I	Prop	Physical Data Type	DTYPE_TEXT		Created		DTYPE_DATETIME	
-Ar Link		Precision			Created By		DTYPE_ID	30
Pick List		Required	TRUE		Description		DTYPE_TEXT	255
Project		Scale			Id		DTYPE_ID	30
Repository		User Visible	TRUE		Industry		DTYPE_TEXT	50
🛞 🛅 Screen		XML Literal Value			Location		DTYPE_TEXT	50
🛞 🍓 Search Engine		XML Parent Element			Login User		DTYPE_TEXT	
🛞 🔚 Symbolic String		XML Sequence	14		Main Fax Number		DTYPE_PHONE	
🕀 🏪 Table		PML Style	Clement		Main Phone Number		DTYPE_PHONE	
🐨 🛃 Task		AML Tag	SS-Street MODIFess		Name		DTYPE_TEXT	100
④ 4役 Toolbar	-				Parent Account Name		DTYPE_TEXT	100
E E View					Postal Code		DTYPE_TEXT	30
TT (A) Mah Paga					Cista		DTYPE TEXT	10
T al webt age					Diale		and the second	
⊕ web rage ⊕ web Template			I	>	Street Address		DTYPE_TEXT	200

IO może być również zbudowany na bazie tabeli w bazie danych i na wiele innych sposobów:

Ś	Siebel Tools - Siebel Repository - [Integration Com	iponents]							
E	le Edit View Screens Go Query Debug Tools	Window Help							
12				. 0	▶ I I ⊕ @ % % ¶ [I .]	• • • • • • • •	. . 6		<u> </u>
	Object Explorer 🛛 🗘 🗙	Properties	4 ×		Integration Component List				
Wa	Project: ** All Projects **	Integration Component [RA	ADDRESSES_ALL]			Integration Obje	erte		
tch	Types Detail Elat	Alphabetic Categorized	1			a nagi adari obji			
	Siebel Objects	Adapter Info	RA_ADDRESSES_ALL	1		Synchronize	1 1	Generate Schema	Generat
		Business Component							
	+ 🕅 Application	Cardinality	One or More		W Name	Changed Project		Adapter Info	Base C
	Ŧ 🔤 Bitmap Category	Comments		>	Account - Get Oracle Customer (Oracle)	Oracle A	ccount 10.7		SQL
	🕀 🚯 Business Component	External Name	RA_ADDRESSES_ALL		Account - Get Oracle Customer Import SI	tatus (Oracle) Oracle A	ccount 10.7		SQL
	🗉 📸 Business Object	External Sequence	1		Account - Get Oracle11i Customer (Oracl	e) Oracle A	ccount 11i		SQL
		Inactive	FALSE	2					1000
		Layout Info		10000					
		Module							
		Name	RA_ADDRESSES_ALL			Integration Compo	onents		
	HTML Hierarchy Bitmap	Parent Integration Compor	nent RA_CUSTOMERS			L			1
	+ con Map	Parent Name	Account - Get Oracle Customer (W External Name Context	Name	Changed	Parent Integration Component	Exterr
	E 🕷 Integration Object	Share	FALSE		AR_CUSTOMER_PROFILES	AR_CUSTOMER_PROFILES		RA_CUSTOMERS	AR_C
	F 4 A Integration Component	Table	1		AR_CUSTOMER_PROFILE_AMOUNTS2	AR_CUSTOMER_PROFILE_AMOUNTS		AR_CUSTOMER_PROFILES	AR_C
	드 세계 Integration Component Field	XML Container Element	ListOfCustomerAddress	>	RA_ADDRESSES_ALL	RA_ADDRESSES_ALL		RA_CUSTOMERS	RA_A
	ダネ Integration Component Field User Pro	XML Sequence	1		RA_CONTACTS	RA_CONTACTS		RA_CUSTOMERS	RA_C
	日 希望 Integration Component Key	XML Tag	CustomerAddress		RA_CONTACTS2	RA_CONTACTS2		RA_ADDRESSES_ALL	RA_C
	1 Integration Component Key Field				RA_CUSTOMERS	RA_CUSTOMERS			RA_C
	A Integration Component User Prop				RA_PHONES	RA_PHONES		RA_CUSTOMERS	RA_PI
	A Integration Object User Prop				RA PHONES2	RA PHONES2		RA ADDRESSES ALL	RA PI
	- My Link				RA PHONES3	RA PHONES3		RA CONTACTS	RA PI
	🛱 Pick List				RA PHONES4	RA PHONES4		RA CONTACTS ALL2	RA PI
	- 🐨 Project				RA SITE USES ALL	RA SITE USES ALL		RA ADDRESSES ALL	RA S
	Bepository				SIE CUSTOMER PROFILE AMOUNTS	STE CUSTOMER PROFILE AMOUNT		RA CLISTOMERS	SIE C
	🗄 🎦 Screen								
	🕀 🍓 Search Engine				an in the second se				

Creating Integration Object for BI Publisher

Create IO by wizard, not manually. Do not select OLEDB Rowset.



It is required to select "EAI Siebel Wizard" !



IO name MUST start with BIP.



IO MUST be compiled and deployed (Connect with Siebel Tools to the server).



Deploy inserts record into SIEBEL.S_INT_OBJ_DPLOY.

Click Clear cache on this screen

	File Edit View Navigate Query Tools Help			
Γ				Saved Queries:
	Web Services:			
Γ	😭 Home 📋 Accounts 🔢 Contacts 👫 Opportunities	🤮 Service 📔 Quotes Administration	Product Survey DES Setup Administration - DIP Reports	Administration - Web Services
Г			Inbound Web Servi	es Outbound Web Services Deployed Integration Object
L		_		
L	Inbound Web Services Meru New Delete	Query Export Import Generate WSDL Cle	ar Cache	
L	Namespace	Name		
L	> http://siebel.com/OrderManagement/480	ABOWebService Inactive Asset Base C	vdering Web Service	
L	http://siebel.com/marketing/account	Account Active		
L	http://siebel.com/ani/	AccountWS Active WS for EMR I	45 Outlook integration	
L	http://siebel.com/asi/	ActivityWS Active WS for DRI	45 Cutlook integration	
L	http://www.siebel.com/Service/PS/Assets	AssetManagement Active		
L	http://www.siebel.com/Service/FS/Assets	AssetManagementC Active		
L	http://siebel.com/OrderManagement/Asset	AssetWebService Inactive		
L	http://www.siebel.com/Service/PS/BranchLocator	BranchLocator Addve		
L	http://siebel.com/asi/	CNU Account Query Active		
L	http://siebel.com/esi/	CNU Account Updat Active		
L	Source Doute Marcol Marcol Marcol			
T	New Delete Query			
T	Name Type	Business Service/Business Process	Nai Transport Address	Bindi
Т	> AutoAssetPort Workflow Process	SESOMAutoAssetWebService	HTTP http://localhostieai_enu/start.swe/SWEE	stSource=SecureWebService6SWEEntOrd=Execute 504P

Check whether IO is here on the list

	rie cot vew nevigeal query loos nep							U
Γ	6 0 2 A 2 2 5 0 6						Saved Queries:	Ŧ
	Deployed Integration Object:							
	🙀 Home 🧊 Accounts 🔢 Contacts 📭 Opportunities 🤱	Service 📔 Qua	tes Administra	tion - Product	Survey OES Setup	Administration - BIP Reports	Administration - Web Serv	ices
Г						Inbound Web Services	Outbound Web Services De	ployed Integration Objects
L								
L	Deployed Integration Object List Applet Meru -							
L	Name	Created	Created By	Updated	Updated By			
L	ONU AccSync Contact To	2010-11-09 03:51:1	1-2012	2010-11-09 03:51:	1 1-20912			
L	BIP Accounts - Current Query	2010-11-10 05:55:3	1-2012	2010-11-10 06:55	3 1-20912			
L	> RP OES Survey	2010-11-10 12:44:4	1-2012	2010-11-10 12:44:	4 1-20912			
L	Sebel OLEDB: BEP X OES Survey2	2010-11-10 09/51:1	1-2012	2010-11-10 09:51	1 1-20912			
L								

Ad. 2. Zbuduj szablon XML Publisher i zarejestruj go w Aplikacji

Podczas budowania template (*.rtf) bardzo pomocny jest plik z danymi (xml). Gdy już masz IO, możesz uzyskać plik XML tak:

Generate XML



XML is saved here

😂 DATA						
Plik Edycja Widok Ulubione	Narzę	dzia Pomoc				
3 Wstecz 🝷 🌖 - 🎓 🔎	Wyszuk	aj 🌔 Foldery 🛛 🛄 🗸				
Adres 🗁 C:\Siebel\8.1\Client_1\XM		A				
	-	Nazwa 🔺	Rozmiar	Тур	Data modyfikacji	
Zadania plików i folderów	۲	Calist.rtf	49 KB 32 KB	Tekst sformatowan Dokument XML	2007-11-30 00:31 2010-11-10 21:46	
 Publikuj ten folder w sieci Web Udostępnij ten folder 		File Edit Search View	t_1\XMLP\DATA Encoding Languar	NBIP OES Survey.xm ge Settings Macro F 話 コン C 論 な	nl - Notepad++ Run TextFX Plugins	Window ?
Inne miejsca	۲	BIP DES Survey.xml				
XMLP Moje dokumenty Dokumenty udostępnione Mój komputer Moje miejsca sieciowe		1 xml ver<br 2 ⊞> <xoessur 120 ⊞>122 ⊞>124 ⊞>126 ⊞><td>sion="1.0" e vey mNotes alArchitectu alBR alDataguard</td><td>mcoding="UTF-8" ure</td><td>?><listofbipoe< td=""><td>sSurvey</td></listofbipoe<></td></xoessur 	sion="1.0" e vey mNotes alArchitectu alBR alDataguard	mcoding="UTF-8" ure	?> <listofbipoe< td=""><td>sSurvey</td></listofbipoe<>	sSurvey

Template (*.rtf) podpinamy za pomocą listy wartości template

10 C				(12-1-2) I				Tekst Pomocy dla pola form
ile Edit View Nav	igate Query Too	ils Help						Pasek stanu Klawisz Pomocy
s 🛅 🕮 🗍 🛣) A 🗹 🗹] 浩 🙂	<u>e</u>					C Brak
port Template Registr	ation:				14			C Pozycja Autotekstu: - STR
Home 🛅 Ac	counts 🔠 Cor	ntacts 📙 Op	portunities 🛒	Sales Orders 🧏 Service 🗎 Q	uotes Administ	ation - Product A	dministration - BIP Reports	📀 Wpisz własny tekst:
			. H. Pool		Sample Data File	Generation Report	Template Registration View Association P	urg for-each-group:current-grou</td
leport Templa	ite Registrati	on Menu 🔻	New Delete	Query Generate Xliff Ophed Te	5			
Report Name 🗅	Description	Start Date	End Date	Primary Integrat Template	Output Type	XLIFF	Opcje p	la
Account List	Account List			BIP Accounts - Curre aclist	All	aclist	7 Pole teksto	we
Account Profile	CG Account Profile	F		BIP CG Account Prof. CS_accritpro	All	CS_accntpro	Тур:	
Account Promotion	E CG Promotion Plan	C		BIP CG Promotion Pl. CS_ProPlanDet	All	CS_ProPlanDet	Teks zw	rykł
Account Service Pro	o Account Service Pr	ro		BIP Current Account acsycpro	All	ecsycpro	Długość r	mak,
Actual Visits	Actual Visits	10-10-2007 10:	13:1	BIP Actual Visits LS_ACTVIST	All	LS_ACTVIST	Niegr.	÷
Admin Product Line	L Admin Product Line	el		BIP Admin Product L adprodli	All	adprodli	Without and the second second Uruchom m	iakro
Admin Sales Cycle -	Admin Sales Cycle	-		BIP Admin Sales Cyc ADSLSCYC	All	ADSLSCYC	Przy wejs	ściu: Przy <u>wyjściu:</u>
Alphabetic Phone Li	is Contacts - Phone I	Lis		BIP Contacts - Alpha cntphon	100	cntphon	Blik Edycja Widok Wstaw	<u> </u>
BIP Expense Repor	t BIP Expense Repo	rt 22-08-2008 12:	46:1	BIP Expense Report exprep	All	exprep	🗌 🗅 😂 🖬 🔂 👯 🎒 🖾 Ustawienia	pola
By Opportunity	Contacts - By Opp	101		BIP Contacts - By OJ cntopp	All	cntopp	Znaczniki pokazane w wersji końci Zakładka	: Text19
Report Temp	late Translation	Report Template	Integration Objects				■ 1 - 2 - 1 - 1 - 2 - 1 - 3 Wype	Ini <u>a</u> nie włączone
Menu 🕶 🔰 New	Delete Query							: przy zakończeniu
Language	Report Name						T Dodaj tek	kst Pomocy OK
> English-American	Account List							
							SIEBEL	
							2 4	
							N B	
							for-each-group:ssAccount	
							 tor-each-group:current-group() ssName 	Location ssl ocation
							- for-each:current-group()	Cooline Solocatori
							Address	Comments
							 ssStreetAddress 	ssDescription

Do raportu można podpiąć kilka IO i wtedy zlinkować IO dopisując u detaila searchSpecification (where) - nie wiem dokładnie jak się to robi.

File Edit View Navigate Query Tools	Help					
🗟 🖬 🕘 🛛 🔏 🖉 🖻 🛛	📇 🕀 👸					
Report:						
🔐 Home 📋 Accounts 🔠 Contac	ts 👍 Opportunities	5 🛒 Sales Orders	🧏 Service 📔 Quotes	Administration - Product	Administration - BIP Rep	orts
			Sam	ple Data File Generation Repo	ort Template Registration	View Assoc
Report Template Registration	Menu 🔻 New	Delete Query G	enerate Xliff Upload Files			
Report Name $ au$	Description Sta	rt Date End Dat	e Primary Integratio	n Object Name Temp	late Output Type	XLIFF
Service Request Detail - Barcode	Service Request Det		BIP Service Request D	etail srvred	dt All	srvreqdt
Report Template Translation Report	t Template Integration	Objects				
Menu - New Delete Query	Generate Sample XML					
Primary Integration Object	t Name 🛆 🦳 Sear	ch Specification				
BIP Service Request I	Dobbil					

Do not insert value in "Primary Integration Object Name", instead of this select primary object in "Report Template Integration Objects".

Ad. 3. Podłącz raport pod widok

File Edit View Navigate Query Tools Help			
🖹 🖶 🖌 🖌 🖉 🖉 🕒 🕀	<u>.</u>		
View Association:			
🚰 Home 🛅 Accounts 🔠 Contacts 🎼 Op	oportunities 🛒 Sales Orders 🤱	Service 📔 Quotes Administration - Prov	duct Administration - BIP Reports
		Sample Data File Generation	Report Template Registration View Association
Views Menu - Query			
Yiew Name 🔬 Description		Defa	ault Local Access
'X Order History Viev 'X Order History Viev			~
A Account Action Pla A Account Action Pla			✓
> A Account Global Op A Account Global Op			~
A Account Marketing A Account Marketing			~
A Account Organizal A Account Organizal			~
A Account Partner V A Account Partner V			✓
ABO Bulk Request A Displays Orders gen	1		√
ABO Bulk Request E: Displays exception a			~
ABO Bulk Request Li Displays list of Bulk F			~
ABO Bulk Request U Displays Users and 4			✓
Report List Menu ▼ Add Delete Que	ry l		
Report Name Description			
> Portfolio Map Report Portfolio Map Report			
Portfolio Plan Report Portfolio Plan Report			

Ad. 4. Uruchom raport

File Edit View Na	vigate Query "	rools Help	11.2						
6604	i 🛛 🏔 💆	🛛 🛛 🖽 🕒	8	-				Save	d Queries:
Account:			BIP	a Outpu	t Type - Microsof	t Internet Explor	er		
Home Accounts ISE Contacts Home Accounts List Charts Global Accou			UT Account Detail Pharma Account at a Glance Pharma Formulary List	Select the	Report Output Ty	PDF V			plore
All Accounts 💌	Menu 💌	New Delete	Pharma Call Frequency - Account	V		HTML		Submit Close	
New	Name	Site	Account Service Profile			EXCEL			ble
>	Moja Dalkia		Account List	Active	Customer	MSKOWRON	Customer		N
	Polpharma		My BI Publisher Reports	Active	Customer	SADMIN	Customer		N
	Dalkia			Active	Customer	SADMIN	Customer		N
	HP			Active	Customer	KTOMTAS	Customer		N

Report is generated immediately, it is available on my reports view as well for further review.



Did you change .rtf but there is no effect ?

- 1. change filename of .rtf and reupload
- 2. press "Generate Cliff" button
- 3. restart browser
- 4. try again

Ad. 5. Przeglądanie zapisanych raportów

File Edit View Navigate Query	Tools Help	
🖺 🔂 🚽 🗹 🗍 🗛 💆	📓 📇 🙂 🐻	
My Reports:		
🙀 Home 📋 Accounts 🔠	Contacts 👍 Opportunities 🛒	Sales Orders 🧏 Service 🗎 Quotes Administration - Product BIP Reports Server
		My Reports
My Reports Menu 🕶	Delete Query	
Report Name	Created Date 🗸 🛛 Owner	Status
Service Request Detail - Barcode	09-09-2009 14:33:1 MSZYMCZA	Error
Service Request Detail - Barcode	09-09-2009 14:31:2 MSZYMCZA	Error
Service Request Detail - Barcode	09-09-2009 14:27:1 MSZYMCZA	Error
Service Request Detail - Barcode	09-09-2009 14:26:0 MSZYMCZA	Error
Service Request Detail - Barcode	09-09-2009 14:25:2 MSZYMCZA	Error
Service Request Detail - Barcode	09-09-2009 14:19:5 MSZYMCZA	Success
> Service Request Activity - All	01-09-2009 12:34:4 MSZYMCZA	Success

ReportsTroubleshoot

 $http://download.oracle.com/docs/cd/E14004_01/books/Reports/ReportsTroubleshoot.html$

```
Siebel BI Publisher Reports Business Service
See [ID 823360.1] on https://support.oracle.com/
```

Report parameters

Typically data are printed according to data selected on the screen by query.

In addition you can use parameters (see paramterized reports section in documentation), which are defined in rtf template. This functionality is available on Siebel 8.1.1.1.

Open issues

Where place xdo.cfg file in disconnected mode? Here ?

👷 Ulubione 🛛 🢡	🍰 🏉 Sugerowane witryny	y 🔹 🙋 Bez;	łatna usługa pocztowa 🔊 Pobierz wi	ęcej dodatków 👻 🔊 cw jdev			
X Znajdź: jo			Poprzednie Następne	🖉 Opcje 🔹			
File Edit View	v Navigate Query Took	s Help					
660	🔏 A) 🖸 🖬	1 🖪 🤅) 🗟			Saved Queries:	•
Session Informati	ion Log:						
🔐 Home 📋	Accounts 🔠 Cont	tacts	Opportunities 🧏 Service 📔	Quotes Administration - Proc	duct OES Setup Administration - Serve	er Configuration Administration - Server Man	agement
			1	1. A A A A A A A A A A A A A A A A A A A		Components Jobs Servers Sessions	Tasks Enterp
		90177538	ServerMgr		Completed	A Fra fra fra Fra	
		89128962	ServerMgr		Completed		
>	-	37749151	eServiceObjMgr_enu	pmatyja	Completed		
	-	37749148	eServiceObjMgr_enu	aolszewska	Completed		
		37749145	eServiceObjMgr_enu	pzu	Completed		
		37749142	eServiceObjMgr_enu	zszajna	Completed		
		37749139	eServiceObjMgr_enu	pjaworski	Completed		
		37749136	eServiceObjMgr_enu	pjaworski	Completed		
		37749133	eServiceObjMgr_enu	MJAKUBOW5KA	Completed		
Log	Parameters State Values	Statistics					
Manue	0						
	Timestamn	Level	Tevt				
61	08-12-2010 13-15	.3.3	CDA Integration Obi Name	: 7.7 Quote Integration Obje	art		
62	08-12-2010 13:15	33	Long Tablespace Name				
63	08-12-2010 13:15		HTTP Login Method	7			
64	08-12-2010 13:15		OM - EL Tracing Liser Name	· sadmin			
65	08-12-2010 13:15		CDA GetMyPrice Fields	· List Price Product Name Curre	ont Price Pricing Comments Start Price Net Price N	RC CyTotal MRC CyTotal	
66	08-12-2010 13:15	33	Number of lines after which to f	ush the log file : 0			
67	08-12-2010 13:15	.3.3	ProductDetailView	• NONE	CDA GetMyPrice F	ields : List	
68	08-12-2010 13:15	:3.3	Auto Restart	: TRUE	Price, Product Name, Curre Price, Net Price, NBC CxTot	nt Price, Pricing Comments, Start	
> 69	08-12-2010 13:15	:3 3	XMLP Report xdo.cfg Dir	: (xmlp/templates/			
70	08-12-2010 13:15	3.3	DataBase Rollback Segment Nar	i i i			

What is this ?

File Edit View Nav	igate Query Too	ls Help						
660 4	A 2 2					Saved Q	ueries:	-
Jobs:								
😭 Home 📋 Ac	counts 🔠 Con	itacts 묡 Opportunities 🤱 9	Service 🗎 Quotes	Administration - Product OES Setup	Administration - Server	Configuration Admini	istration - Server Managemen	t
						Components Job	s Servers Sessions Tasks	Enterprises
Jobs Menu 🕶	New Delete	Query Submit Job Cancel Job	b Hold Job Resume Jo	b		÷		
State (Icon)	ID	Component/Job	Repeating?	Requested Serve Execution Server Rec	juest Key Mode	Status	Completion Code Completion	n Informatio
	1-5N75N	Workflow Process Manager	~	siebel7	Asynchronous	Active		
>	1-5KEFV	XMLP Report Server			Asynchronous	Queued		
	1-5KEFS	XMLP Report Server			Asynchronous	Queued		
	1-3ZKR2	XMLP Report Server			Asynchronous	Queued		
	1-358VL	Workflow Process Manager	*	siebel7	Asynchronous	Active		

Why I cant see this:

- BI Publisher reports server

- BIPDataService : retrieves report data from Siebel application
- BIPSiebelSecurityService: verifies user responsibilities

B	Home	Accounts	Contacts Up Opp	ortunities	Sales Orders	122 8	Service 🛛 🛅	Quotes	Administration - Product	Administration - Web Services	
									Inbound Web Service	es Outbound Web Services Deploye	
Ir	bound We	eb Services	Menu • New	Delete Query	Export 1	mport	Generate WS	OL Clear C	ache Query Results		
	Namespace		Name	51	atus	Comm	ent				
>	http://siebel.com/BIPData		80PDataService	Ac	tive						
	http://siebel.c	om/BIP-Siebel/Secu	rity BIPSiebelSecurity	WS Ad	Active Authenticate Siebel user credential rewinded via BI Publisher Server, returning roles of authenticated user						
	COMPANY AND A										
S	ervice Por	Meru •	New Delete Q	uery							
II)	Name	Туре	Business Service/Bu	Transport Add	ess						
_	PROPERTY AND ADDRESS	Second Second	MAR D. Dunks Knowledge	LITTO AND	e canada de como da se	and the local	and the set of	- THE PERSON AND ADDRESS	www.Mishelinet.com/UNICE.ch/and.	Frankall Institute CAPATRIAD a country	

😭 Home <u> </u> Accounts	Cont.	ects 🔐 0	pportunitie	s 🐺 Sal	es Orders	8 Ser	vice 📔	Quotes B	IP Reports Server Reports My Jobs	-
ORACLE	BIPu	blisher E	nterprise			Welco	me, sadmir	Proferen	ices Sign Out He	før:
History Schedules	vonitieri							Line	re oon novia	oto in this
History of Scheduled Rep Page Refreshed Thursday View By My History	orts , Septemb Go	er 3, 2009	5:56 PM P	acific Time	6		4	direc	b page as if tly in the rep	they are orts server
Select Histories: Delet	8						3	Previous	-10 of 25 💌 Nex	t 10 🛞
Select All Select None Select Job Name S	tatus	Document	Republish	Data XML	Username	Scope	Start Pro	essing Tir	ne End Processin	a Time
Contact List - C	Success	5	0	8	SADMIN	Private	9/3/09	5:55 PM	9/3/09 5:55	PM
Test of features	Success	a	03	8	SADMIN	Private	8/19/0	9 5:14 AM	8/19/09 5.14	AM
🗖 Demo time diff 🖌	Success	69	0.	5	SADMIN	Private	8/14/0	9 8:58 PM	8/14/09 8:59	PM

what is this ?

💓 🔻 😢 https://lamignat-pl/co	allcenter_enu/start.sv	ve?SWECmd=Lo	gin85WEPL=165WE15=1325166119015			🛩 😵 Błąd certyfikat	u 🦘 🛪 🚼 Google
Edycja Widok Ulubione Nar	zędzia Pomoc						
Jlubione 🛛 🍰 🙋 cube1_3 🏼 🏀 Si	ugerowane witryny 🔹	🙆 Bezpłatna	usługa pocztowa 🙋 Pobierz więcej do	datków 🝷 🙋 cw jde	v		
Siebel Call Center							
e Edit View Navigate Quer	ry Tools Help						
- 🔓 🛛 🛣 🗌 🐴 🗍	2 2 8	()				Saved Queries:	
nponent Definitions:							
Home Take Accounts	Contacts 🔒 Op	portunities	🤮 Service 📔 Quotes 🛛 Adminis	stration - Product	OES Setup Ad	dministration - Server Configuration Adminis	tration - Server Management
Enterprise Server Description	Back	ap Encerprise	Component Types - Windows Int	ternet Explorer			
Enterprise Server Description			 Component Types - windows in 	termet explorer			
PRIM Siebel Enterpris	je berver		Query	component Type		carcing with scase kequired>	G0 219 - 228 of 228
				Allas	Runcime mode	Description	
			NEORICIONI LICEIOD LICEODE	MORVIERD		2 South and a state of the first of the state of the s	
Component Groups Compon	ent Definitions	System Alerts	Workflow Mapitor Agent	WorkMon	Background	Executes actions for pre-defined events	
Component Groups Compon	Query	System Alerts	Workflow Monitor Agent Workflow Process Manager	WorkMon Workflow Process M	Background Background Batch	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service	
Component Groups Compon Menu New Delete Component	Query Activat	System Alerts Deactiv Compone	Workflow Monitor Agent Workflow Process Manager Workflow Process Manager	WorkMon Workflow Process M Workflow Process M	Background Background Batch Background	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Process Manager Service	
Component Groups Compon Menu New Delete Component Workflow Action Agent	Query Activat Alias WorkActn	System Alerts Deactif Compone Workflow A	Workflow Monitor Agent Workflow Process Manager Workflow Process Manager Workflow Process Manager	Workflow Process M Workflow Process M Workflow Recovery	Background Background Batch Background Batch	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Process Manager Service Workflow Recovery Manager Service	
Component Groups Compon Menu View Delete Component Workflow Action Agent Workflow Monitor Agent	ent Definitions 5 Query Activat Alias WorkActn WorkMon	System Alerts Deactin Compone Workflow A Workflow M	Workflow Monitor Agent Workflow Process Manager Workflow Process Manager Workflow Recovery Manager Workflow Recovery Manager	Workflow Process M Workflow Process M Workflow Recovery Workflow Recovery	Background Background Batch Background Batch Background	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Process Manager Service Workflow Recovery Manager Service	
Component Groups Compon Menu New Delete Component Warkflow Action Agent Workflow Monitor Agent Warkflow Process Batch Manager	Alias WorkActn WorkMon WfProcBatchMgr	System Alerts Deactiv Compone Workflow A Workflow M Business Se	Workfow Mnohiter Agent Workfow Mnohiter Agent Workflow Process Manager Workflow Process Manager Workflow Recovery Manager Workflow Recovery Manager > MNLP Driver Service	WorkMon Workflow Process M Workflow Process M Workflow Recovery Workflow Recovery XMLP Driver Service	Background Background Background Background Background Background	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service XMLP Driver Service Service	
Component Groups Compon Menu New Delete Component Workflow Action Agent Workflow Monitor Agent Workflow Process Batch Manager Workflow Process Manager	Autor Definitions S Query Activat Alias WorkActn WorkMon WfProcBatchMgr WfProcMgr	System Alerts Deactiv Compone Workflow A Workflow M Business Se Business Se	Workflow Michiter Agent Workflow Michiter Agent Workflow Recovery Manager Workflow Recovery Manager Workflow Recovery Manager Workflow Recovery Manager >> XMLP Driver Service	Warkflow Process M Warkflow Process M Warkflow Recovery Warkflow Recovery XMLP Driver Service XMLP Driver Service	Background Background Batch Background Batch Background Background	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service XMLP Driver Service Service XMLP Driver Service Service	
Component Groups Compon Menu ↓ New Delete Component Workflow Monitor Agent Workflow Process Batch Manager Workflow Process Manager Workflow Recovery Manager	ent Definitions 2 Query Actual Alias WorkActn WorkMon WifProcBatchMgr WifProcMgr WifProcMgr	System Alerts Deacti Compone Workflow A Workflow M Business Se Business Se Business Se	Workfow Monitor Agent Workfow Monitor Agent Workflow Process Manager Workflow Recovery Manager Workflow Recovery Manager Workflow Recovery Manager > MILP Driver Service eAuto VDS Accessorization Utility Service	WorkMon Workflow Process M Workflow Process M Workflow Process M Workflow Recovery Workflow Recovery XMLP Driver Service AMLP Driver Service eAuto VDS Accessor	Background Background Batch Background Batch Background Batch Background Batch	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service XMLP Driver Service Service eAuto VDS Accessorization Utility Service Service	
Component Groups Compon Menu Vinklow Action Agent Vorkflow Action Agent Workflow Process Batch Manager Workflow Process Manager Workflow Recovery Manager	Alias WorkAch WorkMon WifProcBatchMgr WifProcMgr	System Alerts Deacth Compone Workflow A Workflow M Business Se Business Se Business Se	Workflow Monitor Agent Workflow Monitor Agent Workflow Process Manager Workflow Recovery Manager Workflow Recovery Manager Workflow Recovery Manager >> XMLP Driver Service eAuto VDS Accessorization Utility Service eAuto VDS Accessorization Utility Service	Workdon Workdow Process M Workdow Process M Workdow Process M Workdow Recovery Workdow Recovery XMLP Driver Service AMLP Driver Service eAuto VDS Accessor eAuto VDS Accessor	Background Background Batch Background Batch Background Batch Background Batch	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service XMLP Driver Service Service SMLP Driver Service Service eAuto VDS Accessorization Utility Service Service eAuto VDS Accessorization Utility Service Service	
Component Groups Compon Menu ♥ New Delete Component Workflow Action Agent Workflow Monitor Agent Workflow Process Batch Manager Workflow Recovery Manager	Alias WorkActon WorkMon WfProcBatchMgr WfProcMgr WfRecvMgr	System Alerts Deacti Compone Workflow A Workflow M Business Se Business Se Business Se	Workflow Monitor Agent Workflow Monitor Agent Workflow Process Manager Workflow Recovery Manager Workflow Recovery Manager Workflow Recovery Manager >> MILP Driver Service eAuto VDS Accessorization Utility Service eAuto VDS Accessorization Utility Service	Workdon Workflow Process M Workflow Process M Workflow Recovery Workflow Recovery WhLP Driver Service Auto VDS Accessor eAuto VDS Accessor	Background Background Batch Background Batch Background Batch Background Batch	Executes actions for pre-defined events Monitors the database for pre-defined events Workflow Process Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service Workflow Recovery Manager Service WMLP Driver Service Service eAuto VDS Accessorization Utility Service Service eAuto VDS Accessorization Utility Service Service	